


## 211964 - Asta rulli fix Multi Matic 1090 E15 con 2 nottolini HBB 841-1.090 HM400 argento

### Disegni tecnici



|         |      | <b>L</b> |    |     |             |     |    | <b>Nº</b>              |
|---------|------|----------|----|-----|-------------|-----|----|------------------------|
| argento | 1090 | 1.095    | 15 | 400 | 841 - 1.090 | 255 | 20 | <a href="#">211964</a> |

### Tabella posizionamento viti

| <b>Nº</b>              |   | 1    | 2    | 3   | 4   | 5   | 6   | 7   | 8     | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
|------------------------|---|------|------|-----|-----|-----|-----|-----|-------|---|----|----|----|----|----|----|----|
| <a href="#">211964</a> | 8 | 18,5 | 91,5 | 226 | 474 | 595 | 795 | 925 | 1.010 |   |    |    |    |    |    |    |    |

### Tabella punti di chiusura

| <b>Nº</b>              |   | Z1 | Z2  | Z3 | Z4 |  |
|------------------------|---|----|-----|----|----|--|
| <a href="#">211964</a> | 2 | 57 | 640 |    |    |  |


### Dime

|                                      |                            |   | <b>Nº</b>              |
|--------------------------------------|----------------------------|---|------------------------|
| Dima forature per fori martellina MM | per punta 3 mm             | 1 | <a href="#">203861</a> |
| Dima forature per fori martellina MM | per punta D=3 mm e D=12 mm | 1 | <a href="#">203862</a> |



## 211964 - Asta rulli fix Multi Matic 1090 E15 con 2 nottolini HBB 841-1.090 HM400 argento


### Quote della scatola cremonese




- Larghezza fresata per scatola cremonese 12 mm
- Per fissaggio maniglia utilizzare viti SPAX Ø 5 mm o viti M5.

### Schema di foratura

Per serramenti in legno



Per serramenti in PVC e alluminio





211964 - Asta rulli fix Multi Matic 1090 E15 con 2 nottolini  
HBB 841-1.090 HM400 argento

## Regolazione pressione

Fungo e nottolino

