

**1.2.4 T&T Drive Gear BS 15 VHH**




**No**


with 170mm deductible dimension

|        |                      |    |   |             |   |    |              |
|--------|----------------------|----|---|-------------|---|----|--------------|
| Silver | Size 1               | 15 | 0 | 500 - 650   | 0 | 20 | <b>52422</b> |
|        | Size 1A              | 15 | 0 | 601 - 900   | 1 | 20 | <b>52423</b> |
|        | Size 2               | 15 | 0 | 651 - 900   | 0 | 20 | <b>52966</b> |
|        | Size 2A <sup>1</sup> | 15 | 0 | 751 - 900   | 1 | 20 | <b>52424</b> |
|        | Size 2               | 15 | 1 | 901 - 1300  | 1 | 20 | <b>52425</b> |
|        | Size 4               | 15 | 1 | 1301 - 1800 | 1 | 10 | <b>52426</b> |
|        | Size 4A              | 15 | 2 | 1301 - 1800 | 1 | 10 | <b>54952</b> |
|        | Size 5               | 15 | 2 | 1801 - 2350 | 1 | 10 | <b>52427</b> |

<sup>1</sup> Can only be used in combination with shootbolts on 2-sashed windows.




**1.2.5 Turn Only-Drive Gear BS 15 FHH with low handle position**




**No**

with 170mm deductible dimension

|        |         |    |   |     |             |   |    |               |
|--------|---------|----|---|-----|-------------|---|----|---------------|
| Silver | Size 0  | 15 | 0 | 220 | 480 - 750   | 0 | 20 | <b>55174</b>  |
|        | Size 1  | 15 | 1 | 300 | 850 - 1100  | 0 | 20 | <b>55175</b>  |
|        | Size 2  | 15 | 1 | 400 | 1050 - 1300 | 1 | 20 | <b>55173</b>  |
|        | Size 4  | 15 | 1 | 400 | 1251 - 1500 | 1 | 10 | <b>203863</b> |
|        | Size 4B | 15 | 1 | 500 | 1251 - 1500 | 1 | 10 | <b>52817</b>  |
|        | Size 5B | 15 | 1 | 500 | 1501 - 1750 | 1 | 10 | <b>52818</b>  |




52425



54952

| 8.8 T&T Drive Gear BS 15 VHH |        |                      |    |   |             |   | No |              |
|------------------------------|--------|----------------------|----|---|-------------|---|----|--------------|
|                              | Silver | Size 2A <sup>1</sup> | 15 | 0 | 751 - 900   | 1 | 20 | <b>52424</b> |
|                              |        | Size 2               | 15 | 1 | 901 - 1300  | 1 | 20 | <b>52425</b> |
|                              |        | Size 4               | 15 | 1 | 1301 - 1800 | 1 | 10 | <b>52426</b> |
|                              |        | Size 4A              | 15 | 2 | 1301 - 1800 | 1 | 10 | <b>54952</b> |

<sup>1</sup> Can only be used in combination with shootbolts on 2-sashed windows.



52432

| 8.9 Tilt Lock Bolt                    |  |        |             | No              |              |
|---------------------------------------|--|--------|-------------|-----------------|--------------|
| For windows Tilt-Only lock horizontal |  | Silver | 500 - 1800  | 20 <sup>1</sup> | <b>52432</b> |
| For doors Tilt-Only lock horizontal   |  | Silver | 1801 - 2350 | 20 <sup>1</sup> | <b>52433</b> |

<sup>1</sup> Connecting Plate included.



52496

55076

| 8.10 End Pieces   |  |                 | No           |
|---|--|-----------------|--------------|
| Top end-piece for B-TV 180° with 1 VZ silver <sup>1</sup>                 |  | 20 <sup>2</sup> | <b>52496</b> |
| Top end-piece for B-TV 180° with shootbolt protrusion silver <sup>3</sup> |  | 20 <sup>2</sup> | <b>55076</b> |

<sup>1</sup> Only in connection with horizontal Tilt-Only locks.

<sup>2</sup> Connecting Plate included.

<sup>3</sup> Only for 2-sashed windows!





10530

| 8.11 Centre Lock for Half-Round Windows                                |  |                 | No           |
|--|--|-----------------|--------------|
| Stabilising stay for Tilt&Turn for Half-Round Windows 945 Silver       |  | 10 <sup>1</sup> | <b>10530</b> |
| Top end-piece for B-TV For Turn-Only arched windows with 2 i.S. silver |  | 10 <sup>2</sup> | <b>57927</b> |

<sup>1</sup> Can also be supplied in less than one packaging unit.

<sup>2</sup> Connecting Plate included.



**9.13 T&T Drive Gear BS 15 VHH**



**No**

|        |                      | with 170mm deductible dimension |   |             |   |    |              |  |
|--------|----------------------|---------------------------------|---|-------------|---|----|--------------|--|
| Silver | Size 2A <sup>1</sup> | 15                              | 0 | 751 - 900   | 1 | 20 | <b>52424</b> |  |
|        | Size 2               | 15                              | 1 | 901 - 1300  | 1 | 20 | <b>52425</b> |  |
|        | Size 4               | 15                              | 1 | 1301 - 1800 | 1 | 10 | <b>52426</b> |  |
|        | Size 4A              | 15                              | 2 | 1301 - 1800 | 1 | 10 | <b>54952</b> |  |

<sup>1</sup> Can only be used in combination with shootbolts on 2-sashed windows.

