


## 211969 - Asta rulli fix Multi Matic 2200 E15 con 4 nottolini HBB 1.951-2.200 HM1.050 argento

### Disegni tecnici



|         |      | <b>L</b> |    |       |               |     |    | <b>Nº</b>              |
|---------|------|----------|----|-------|---------------|-----|----|------------------------|
| argento | 2200 | 2.205    | 15 | 1.050 | 1.951 - 2.200 | 255 | 10 | <a href="#">211969</a> |

### Tabella posizionamento viti

| <b>Nº</b>              |    | 1    | 2    | 3   | 4   | 5   | 6   | 7     | 8     | 9     | 10    | 11    | 12    | 13    | 14    | 15    | 16 |
|------------------------|----|------|------|-----|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| <a href="#">211969</a> | 15 | 18,5 | 91,5 | 315 | 550 | 705 | 795 | 863,5 | 1.124 | 1.388 | 1.465 | 1.640 | 1.815 | 1.905 | 2.035 | 2.120 |    |

### Tabella punti di chiusura

| <b>Nº</b>              |   | Z1 | Z2  | Z3    | Z4    |  |
|------------------------|---|----|-----|-------|-------|--|
| <a href="#">211969</a> | 4 | 57 | 750 | 1.420 | 1.860 |  |


### Dime

|                                      |                            |   | <b>Nº</b>              |
|--------------------------------------|----------------------------|---|------------------------|
| Dima forature per fori martellina MM | per punta 3 mm             | 1 | <a href="#">203861</a> |
| Dima forature per fori martellina MM | per punta D=3 mm e D=12 mm | 1 | <a href="#">203862</a> |



## 211969 - Asta rulli fix Multi Matic 2200 E15 con 4 nottolini HBB 1.951-2.200 HM1.050 argento


### Quote della scatola cremonese




- Larghezza fresata per scatola cremonese 12 mm
- Per fissaggio maniglia utilizzare viti SPAX Ø 5 mm o viti M5.

### Schema di foratura

Per serramenti in legno



Per serramenti in PVC e alluminio





211969 - Asta rulli fix Multi Matic 2200 E15 con 4 nottolini  
HBB 1.951-2.200 HM1.050 argento

## Regolazione pressione

Fungo e nottolino

